



International Journal of Web Information Systems

A business-driven framework for automatic information extraction in professional media production

Matthias Elser Ronald Mies Peter Altendorf Alberto Messina Fulvio Negro Werner Bailer Albert Hofmann Georg Thallinger

Article information:

To cite this document:

Matthias Elser Ronald Mies Peter Altendorf Alberto Messina Fulvio Negro Werner Bailer Albert Hofmann Georg Thallinger , (2015), "A business-driven framework for automatic information extraction in professional media production", International Journal of Web Information Systems, Vol. 11 Iss 3 pp. 397 - 414

Permanent link to this document:

<http://dx.doi.org/10.1108/IJWIS-03-2015-0005>

Downloaded on: 01 November 2016, At: 22:54 (PT)

References: this document contains references to 25 other documents.

To copy this document: permissions@emeraldinsight.com

The fulltext of this document has been downloaded 98 times since 2015*

Users who downloaded this article also downloaded:

(2015), "Distributed mashups: a collaborative approach to data integration", International Journal of Web Information Systems, Vol. 11 Iss 3 pp. 370-396 <http://dx.doi.org/10.1108/IJWIS-04-2015-0018>

(2015), "Facet-value extraction scheme from textual contents in XML data", International Journal of Web Information Systems, Vol. 11 Iss 3 pp. 270-290 <http://dx.doi.org/10.1108/IJWIS-04-2015-0012>

Access to this document was granted through an Emerald subscription provided by emerald-srm:563821 []

For Authors

If you would like to write for this, or any other Emerald publication, then please use our Emerald for Authors service information about how to choose which publication to write for and submission guidelines are available for all. Please visit www.emeraldinsight.com/authors for more information.

About Emerald www.emeraldinsight.com

Emerald is a global publisher linking research and practice to the benefit of society. The company manages a portfolio of more than 290 journals and over 2,350 books and book series volumes, as well as providing an extensive range of online products and additional customer resources and services.

Emerald is both COUNTER 4 and TRANSFER compliant. The organization is a partner of the Committee on Publication Ethics (COPE) and also works with Portico and the LOCKSS initiative for digital archive preservation.

*Related content and download information correct at time of download.

A business-driven framework for automatic information extraction in professional media production

Business-driven
framework

397

Matthias Elser, Ronald Mies and Peter Altendorf
Institut für Rundfunktechnik, Munich, Germany

Alberto Messina and Fulvio Negro
*Centre for Research and Technological Innovation, RAI,
Turin, Italy, and*

Werner Bailer, Albert Hofmann and Georg Thallinger
*DIGITAL – Institute of Information and Communication Technologies,
Joanneum Research, Graz, Austria*

Received 12 March 2015
Revised 12 March 2015
Accepted 15 April 2015

Abstract

Purpose – This paper aims to propose a service-oriented framework for performing content annotation and search, adapted to the task context. Media production workflows are becoming increasingly distributed and heterogeneous. The tasks of professionals in media production can be supported by automatic content analysis and search and retrieval services.

Design/methodology/approach – The processes of the framework are derived top-down, starting from business goals and scenarios in audiovisual media production. Formal models of tasks in the production workflow are defined, and business processes are derived from the task models. A software framework enabling the orchestrated execution of these models is developed.

Findings – This paper presents a framework that implements the proposed approach called Metadata Production Management Framework (MPMF). The authors show how a media production workflow for a real-world scenario is implemented using the MPMF.

Research limitations/implications – The authors have demonstrated the feasibility of a model-based approach for media processing. In the reification step, there is still information that needs to be provided in addition to the task models to obtain executable processes. Future research should target the further automation of this process.

Practical implications – By means of this approach, the implementation of the business process defines the workflow, whereas the services that are actually used are defined by the configuration. Thus, the processes are stable and, at the same time, the services can be managed very flexibly. If necessary, service implementations can also be completely replaced by others without changing the business process implementation.

Originality/value – The authors introduce a model-based approach to media processing and define a reification process from business-driven task models to executable workflows. This enables a more task-oriented design of media processing workflows and adaptive use of automatic information extraction tools.



Keywords Advanced web applications, Workflow architectures in support of collaboration process, E-Business models and architectures

Paper type Research paper

1. Introduction

The work presented in this paper focuses on professional audiovisual media production and archiving workflows, in particular on workflows deployed at broadcasters and in media production houses. The tasks of media professionals in such workflows include searching for and accessing audiovisual content, such as finding appropriate clips from recent material to be included in a production, locating relevant archive material or reviewing relevant sections of other media's coverage on the same event or topic. Many of these tasks can be supported by automatic metadata extraction tools, such as analysis of speech or visual information in the content.

The transition from traditional linear tape-based production to entirely file-based and increasingly distributed workflows is now a reality that needs to be managed efficiently. The result of this paradigm shift will not be a new set of fixed workflows; rather the new workflows will be dynamic and constantly changing as novel IT-based production and distribution technologies emerge. The tools supporting tomorrow's media production and archiving workflows must thus be able to adapt to the users' tasks, content types and production context. This adaptation can be enabled by task models, means of implicit and explicit user feedback and integration of benchmarking capabilities. Such workflow principles can efficiently be applied in combination with open service-oriented architectures (SOAs), which allow customising systems on the basis of standardised component interfaces.

In this paper, we propose a service-oriented framework for performing content annotation and search in media production tasks. The processes are derived top-down, starting from business goals and scenarios in audiovisual media production. Formal models of tasks in the production workflow are defined, and business processes are derived from the task models and implemented by means of the framework.

The rest of this paper is organised as follows. Section 2 presents the method for identifying the business goals and scenarios to be supported by automatic processes. In Section 3, we discuss the formalisation of tasks and the conversion into executable business processes. Section 4 describes the implementation of a framework executing these processes and Section 5 presents results. Section 6 concludes the paper.

2. Identifying business goals and scenarios

A set of high-level goals and usage scenarios has been selected as guiding elements for the requirement analysis, inspired by emerging philosophies in software development life cycle, which recommend the use of top-down and scenario-based approaches for complex software systems (Koehler *et al.*, 2006; Liu, 2008; Rosson and Carroll, 2009; Kaindl, 2011).

Several approaches are available in software engineering literature for solving the problem of scenario-driven design. Among those, we chose a methodology inspired by the S-Cube approach (Di Nitto and Plebani, 2010; Jackson, 1995). This method distinguishes between high-level goals (named business goals), i.e. target conditions which are to be met by the system from a mainly business process-oriented perspective, and more detailed scenarios, which are more practical settings in which actors and

systems interact to achieve a specific result. Both business goals and usage scenarios are represented with textual descriptions and some additional features. Usage scenarios are always accompanied by a unified modeling language use case diagram. Tables I and II report the respective template tables for these descriptions, as specified by S-Cube.

An extensive analysis was conducted to capture a wide range of meaningful usage environments and an importance ranking was assigned. Based on this ranking information, a selection of the business goals and corresponding scenarios was performed, and the selected ones were further analyzed and broken down into requirements and functionalities. Table III reports the basic descriptions of the four top-ranked business goals.

For each of the scenarios, we collected descriptions of the tasks performed, e.g. gathering content for use in a documentation and selecting content from incoming feeds for use in a news broadcast. We asked professionals to specify the actors, input/output data, frequency, time budget and success criteria of these tasks in a structured

Field	Description
Unique ID	Give a unique ID for this goal/assumption
Short name	Give a short name for this goal/assumption
Type	One of the following: Business goal Domain Assumption
Description	Specify the intention of the goal/assumption
Rationale	Give a justification of the goal/assumption
Involved stakeholder	Stakeholders involved in the business goal/assumption
Supporting materials	Give a pointer to documents that illustrates and explain this goal/assumption (in particular those of domain analysis)
Priority of accomplishment	One of the following: <i>Must have</i> : The system must implement this goal/assumption to be accepted <i>Should have</i> : The system should implement this goal/assumption: some deviation from the goal/assumption as stated may be acceptable <i>Could have</i> : The system should implement this goal/assumption, but may be accepted without it
Tentative scheduling	Tentative scheduling of accomplishment. To be used only if the case study has to be implemented

Table I.
Business goal
description template

Field	Description
Unique ID	Give a unique ID for this scenario
Short name	Give a short name for this scenario
Related to	Specify the goal/assumption ID to which the scenario is related
Involved actors	Specify the actors involved in the current scenario
Detailed operational description	Give a textual description of the scenario
Problems and challenges	Describe the specific problems that each scenario addresses or that consumers and providers face
Additional materials	UML diagrams supporting the understanding of the scenario

Table II.
Scenario description
template

questionnaire. This information served as the basis for the formalised description and modelling of relevant tasks.

3. Formalising tasks and processes

We propose the introduction of a task-based approach in the domain of multimedia content analysis and processing to orchestrate media processing services based on a task context. Using formalised machine-readable task models, multimedia analysis tools can be connected to support a real media production workflow. In user interface (UI) design, it was proposed already more than 25 years ago to follow a task-based approach (Green, 1985). Thus, a large share of the literature on formal task models

Business goal	Description	Scenarios
Fast retrieval of very recent material	This business goal states that very recent material should be immediately retrievable. To accomplish this immediate disclosure of newly ingested material, indexing it for search immediately is necessary	Fast content disclosure for news production
Efficient retrieval of historical archive material	This business goal states that archive material should be efficiently retrievable and that very specific questions could be asked to the retrieval system (e.g. a very specific quote of a politician, appearance of specific objects, time constraints, [. . .])	Searching archived material, including deep archive
Access to international feeds and their use in news production	This business goal addresses the need to have seamless and efficient access to the content of international feeds (e.g. the Eurovision Network) through a rich metadata query interface and subsequent utilisation of selected material in subsequent phases of news production	Distributed semantic search and retrieval of multilingual content Dynamic configuration of features for content enrichment Machine-supported subtitle generation
Distributed repository for all steps in metadata production and usage chain	The business goal addresses the need in modern distributed media production facilities to accumulate content files and all types of related metadata in one central repository for the overall production and usage chain. All steps in such a distributed chain can produce new metadata, can use the information of already available metadata or can combine or aggregate metadata. The distributed repository application has the intention to collect different locally separated repositories to one global accessible system and provide common global interfaces specialised for content production, post-production and search, and browsing and recommendation steps	Distributed content metadata production and post-production

Table III.
Top ranked business goals and scenarios

comes from the area of model-based UIs (for a historical overview see [Meixner et al., 2011](#)). Business-driven
framework

The term task is used here to denote a sequence of actions performed by one or more users to achieve a defined goal in the production process, usually using a set of tools. A task has a defined set of input items and produces a set of output items. For example, “Content Search” could be defined as “The action performed by the employee of a broadcaster to find an audiovisual content item (the output item) with a specified topic (the input item)”. We denote the language to define and describe task models as a task metamodel. A task model is an abstract representation of a task, i.e. an orchestrated set of actions performed by actors to reach a specific objective. The objective is expressed in terms of conditions that have to be satisfied by the reference domain. Pre- and post-conditions may pertain to single objects or sets of objects or to the entire domain. The task model is formalised using a task metamodel. The example mentioned above, which is classifiable as a task model, is stated using the task metamodel “English language”.

We have reviewed various candidate representations for task metamodels. In addition to the surveys available in literature (e.g. [Guerrero Garcia et al., 2012](#)), we have considered machine readable definition, the availability of tools and documentation, serialization options (preferably Extensible Markup Language [XML]), adoption (e.g. in the W3C MBUI work) and existing work in relation with business process modelling. Metamodels that are specific to UI design have been excluded. [ConcurTaskTrees \(CTT\) \(Paternò et al., 1997\)](#) has been proposed as a graphical model for tasks. The model has been extended over time and is probably the most widely used of all task metamodels. A process for developing task models from informal scenarios has been proposed in [\(Paternò and Mancini, 1999\)](#) and a Java-based graphical editing environment exists (CTT Environment). [\(ANSI CEA, 2018, 2008\)](#) is a consumer electronics standard for representing models of user tasks. A differentiation between task classes and instances is made, introducing two levels of abstraction. The standard defines a serialization in XML (using RelaxNG) and ECMAScript (for custom data types and scripts checking conditions). A Java reference implementation is available but does not provide tools for modelling. The authors of [\(Zuehlke and Thiels, 2008\)](#) present the Useware engineering process, which tries to apply software design processes to designing tools in manufacturing. useML has been defined to model such a user-centred design process, and the useML XML notation is introduced in [\(Reuther, 2003\)](#). An editor for useML called Udit is proposed in [\(Meixner et al., 2009\)](#). In a comparison of different task model notations [\(Guerrero Garcia et al., 2012\)](#), the authors compare features of different models, and propose a metamodel integrating the concepts from the different task model notations. The W3C Model Based User Interfaces [\(W3C MBUI, 2011\)](#) has recently compared the temporal operators supported by different types of task metamodels.

From our analysis, it was concluded that CTT is the metamodel supporting the largest set of temporal operators needed for connecting tasks. As a result, we chose to adopt CTT. We use an extension called collaborative CTT [\(Mori et al., 2002\)](#), which allows modelling the cooperative execution of a task by multiple actors (users and systems).

The basic structure of the CTT model is a tree representing the breakdown of tasks into subtasks. On each level, temporal dependencies between subtasks (e.g. serial or parallel) can be modelled. We defined a task model covering the role of each actor, and described cross-links (e.g. information exchange and interactions) between tasks from different roles. An example of a task model is shown in [Figure 1](#). The bidirectional




Figure 1.
Task model for
multimodal person
recognition in video

arrows below the task symbols indicate interaction with other roles, such as automatic systems or users.

3.1 Reification

To derive a business process from a task model and finally arrive at an executable analysis job, we propose a reification process in analogy to that used in model-based UI design (Calvary *et al.*, 2002). This reification process is shown in Figure 2. It starts from the task model, from which a business process is derived, which turns the hierarchical task structure in a (possibly branched and nested) chain of services. This step is discussed in the remainder of this section. Then, specific service implementations and further parameters of the workflow are defined, and finally, a job is executed for a specific media item (or set of items). The latter two steps are covered by the implementation described in Section 4.

It is apparent that there is an overlap between task models and business process models. Formal and machine-processable representations exist for each of them. However, we started with the task models rather than business processes for the following reasons. Task models provide a more user centric and holistic view of the system. While complex process modelling frameworks, such as Business Process Model and Notation (BPMN, 2011), also include higher levels of abstraction and non-system tasks, these models tend to be more complex and more difficult to understand than task models, which are more familiar to end users. Task models provide support for UI design and there are existing frameworks for building UIs based on task models.

3.2 Transforming task models into business processes

The first step of the reification is to automatically create executable process representations from the task models. The authors of (Sousa *et al.*, 2008) were the first to describe relations between entities in task models and entities in business processes. UsiXML (User interface extended Markup Language) was used to model the UI aspects of the business process model, and the Cameleon reference framework (Calvary *et al.*, 2002) was applied to derive the final UI. In (Pintus *et al.*, 2010), it is observed that the notion of a task in CTT and BPMN is not equivalent, and it is thus proposed to augment BPMN models with a CTT model for each interactive service. In a recent work (Kolb




Figure 2.
Reification process
for service
orchestration

et al., 2012), modelling of CTT elements when transforming a task model to BPMN is discussed.

The authors of (Kolb *et al.*, 2012) make use of the (optional) distinction of activity types introduced in BPMN 2.0. Business rule activities are not used but might be interesting as specializations of service activities in some cases. Figure 3 shows the mapping of the temporal operators of CTT: their mappings are defined to result in BPMN models that are behaviourally equivalent to the CTT models, i.e. they share the same set of producible execution traces (in terms of order of events). To resolve ambiguities between sets of 2+ tasks with temporal relations, the authors propose to rather add additional tree levels than to rely on the precedence of temporal operators.

Most of the mappings proposed by the different authors are consistent or at least very similar. Some differences are caused by the different mapping directions in the different papers, in cases where different BPMN constructs map to the same CTT construct. Similar cases have start, end and intermediate events, which do not exist in task models but can be easily introduced during mapping (possibly with the task precondition). Differences exist concerning the modelling of choices. The mapping of a deterministic (explicit) choice is consistent; however, that of the non-deterministic choice is not. First, the mapping proposed by (Kolb *et al.*, 2012) (two event-based gateways) does not conform to the BPMN standard, as event-based gateways must have intermediate events or receive tasks connected to their outgoing flows. Also, there is no reason to make the converging gateway event-based, it can simply be exclusive. It is also not clear how an inclusive gateway as proposed by (Sousa *et al.*, 2008) would provide the option to include the choice being made.

In our task models, parts of the process are performed by different roles. CTT provides cooperative task models for this purpose. Similar constructs are supported in BPMN, but to the best of our knowledge, mapping of cooperative task models to BPMN has not yet been discussed in literature. We use the following associations between cooperative CTT and BPMN elements. The cooperative task model and the models for each of the roles are modelled as lanes in BPMN, and there is a separate start and end event for the part of each role. Cooperation tasks are used in CTT to add support for multiple roles, which not only might indicate a user activity but also could include systems/services with different roles. Thus, they are not necessarily mapped to a user activity as proposed by (Kolb *et al.*, 2012). For interaction tasks, there exists an ambiguity whether an automatic process needs to call a service that presents information to the user and takes user input or the initiative starts from the user who has the option to use an application and provide input. Connections between tasks need to be defined in the CTT model, which are modelled as message flows in the business process




Figure 3.
CTT task types and their mappings to BPMN activities (from 0)

notation. In contrast to the mapping proposed by (Kolb *et al.*, 2012), any non-leaf task (i.e. any task that has subtasks) is mapped to a subprocess in our approach, independent of its type. Optionally, subprocesses can have their start/end events or not (this is mainly an interoperability issue with specific BPMN implementations).

Technically, this mapping is implemented as follows. The task models created in CTTE can be exported in an XML representation of CTT. We have developed an automatic conversion from task models from this XML representation to business processes represented in the BPMN 2.0 format. The conversion has been implemented as an Extensible Stylesheet Language Transformations (XSLT) [*URL omitted for review*].

4. Implementation

This section describes the implementation of the framework for service orchestration and execution of media analysis processes, called Metadata Production Management Framework (MPMF) within the overall system. The framework takes the business process represented in BPMN 2.0 format as input, and – with the help of additional configuration information – completes the reification process to execute a media analysis process and monitor its progress.

4.1 Requirements

The proposed approach for the implementation of the MPMF is based on SOA principles to match the current developments in broadcasters' production environments, where SOA solutions are increasingly adopted for the integration of IT systems. The MPMF should meet the following requirements:

- Integration of a large number (>40) of heterogeneous, distributed services (specifically for automatic content annotation) through REST- or SOAP-based web service interfaces;
- Integration of a distributed repository for storage and retrieval of essence and metadata;
- Ability to import externally prepared business processes represented in the BPMN 2.0 format (as resulting from the reification as described in Section 3);
- Implementation of additional process logic on top of BPMN 2.0;
- Flexible service configuration; and
- Ability to configure and control the framework through an external control and configuration user interface.

Finally, the implementation should be compatible with the [Framework for Interoperable Media Services \(FIMS, 2015\)](#). FIMS is a joint initiative of the Advanced Media Workflow Association (AMWA) and the European Broadcasting Union (EBU), defining standards to enable flexible, efficient and scalable SOA-based media processing systems.

4.2 Components in the MPMF framework

Within a distributed media processing system, the MPMF fulfils the role of a mediator, interconnecting and controlling all other components via web service interfaces and supporting the communication and exchange of essence and/or metadata between them. [Figure 4](#) shows the system overview, focusing on the MPMF.

For the realization of the MPMF, the Red Hat JBoss® Enterprise SOA Platform (version 5.3) was chosen as a basis. JBoss provides a modular architecture with much functionality rendering it very flexible. The platform is available as open source software and is Java based, allowing for efficient combination and extension with the specific software components which were developed to realize the MPMF. The JBoss Enterprise SOA Platform provides a generic process engine (jBPM) which can be accessed for process control and monitoring through an on-board web service interface. The core of jBPM is a light-weight, extensible workflow engine written in Java that allows execution of business processes conforming to the BPMN 2.0 specification.

The integration layer in the MPMF consists of all components that were developed to extend the JBoss Enterprise SOA Platform environment with the specific functionality for the MPMF, which are:

- client components for each analysis service and for each distributed repository service;
- generic service handler component;
- process logic components; and
- error handling components.

In addition, the MPMF contains a workflow configuration component for which an own web service interface was implemented. As each analysis service provides a dedicated web service interface, it was required to implement corresponding client components separately for each service in the MPMF to be able to execute the service by its specific API.

To support the correct execution of a BPMN 2.0 process loaded onto the JBoss Enterprise SOA Platform, a generic service handler was implemented. For each activity in the BPMN 2.0 process, this handler takes care of the more detailed steps to be taken within an activity in the following sequence:




Figure 4.
System overview

- reading the parameters from the appropriate workflow configuration;
- initialising the content/metadata repository;
- calling the respective analysis service by using the dedicated client component and monitoring its execution; and
- updating the content/metadata repository.

In each of these steps, the generic service handler accesses the appropriate software modules provided as Java classes to perform the following actions:

- the communication with the content/metadata repository using the appropriate web service interface;
- the communication with analysis services through the respective web service interface; and
- handling of execution errors, either at the process level or internally in the MPMF for those errors that are raised during the communication with the analysis and repository services.

The BPMN 2.0 processes generated from the task models form a solid base for the concrete implementation of the scenarios (as listed in [Table III](#)) to executable workflows. Nevertheless, some adaptations were required to meet technical requirements of the JBoss Enterprise SOA Platform. Custom adaptations had to be implemented to realize process logic to, for example, handle branching within the process dependent on the output of an activity. In addition to that, the components for error handling were not considered from the perspective of task models, but these routines are indispensable for the technical implementation as they are required to guarantee an error-robust operation of the MPMF.

In addition to the JBoss extensions in the integration layer, the MPMF was equipped with an XML database (eXist 2.0) which provides the possibility to store different workflow configurations for a business process. For each single activity which is included in a business process, the configuration specifies all parameters which are to be used for the correct service execution. A service was developed to support the workflow configuration functionality in the MPMF, providing a web-service interface for external access (see [Figure 4](#)). Through this web-service interface, the external control and configuration UI can read, optionally modify and store workflow configurations before starting a business process. The corresponding workflow configuration model is shown in [Figure 5](#).

5. Results

5.1 Implemented services

Based on the usage scenarios, an appropriate set of analysis services has been identified. These are required to realize the processes and can be divided into three main categories:

- (1) video and audio analysis (e.g. key frame extraction, near duplicate detection, automatic speech recognition and genre detection);
- (2) text analysis (e.g. machine translation, named, entity recognition); and
- (3) human interaction (result verification and manual annotation).




Figure 5.
XML schema for
workflow
configuration

It was found that different usage scenarios independent of each other use the same task in a different context. To avoid unnecessary duplication of tasks a common workflow – the so-called Configurable Analysis Task Model (CATM) – has been defined. The CATM combines all individual tasks of several usage scenarios into one single workflow. This ensures that an activity is performed only once. A corresponding configuration allows controlling the workflow according to the usage scenarios.

The simplified representation of the CATM in Figure 6 shows various feature extraction and analysis subprocesses that consist of multiple activities (in blue), a human interaction activity (red) and subprocesses that are covered by a single activity in the MPMF (yellow). Within the CATM, some activities depend on others; for example, the CATM includes a genre-dependent branching in which one of three analysis subprocesses in the business process is executed based on the results of the genre classification. These subprocesses contain activities that specifically support the further processing of essence having the respective genre (e.g. sports or news, see Figure 6).

To keep the workflow flexible enough, an additional independent configuration solution was developed which can be used independently of the process engine. It allows the user to readjust individual activities or services to some extent. The user should be able to change the relevant settings for an activity or service at any time without having to change the business process implementation. For example, he should be able to set the target language for an automatic translation service.

The workflow configuration is managed separately and only loaded at runtime of the business process. Before the user starts the business process, he can make the relevant settings for each corresponding activity. When starting the business process, the relevant configuration must be referenced. In addition to the user modifiable settings in the configuration, it is also possible to define which service is executed for a specific activity in the given business process. This way, it is possible to (de-) activate relevant activities within a business process to flexibly support multiple usage scenarios.

5.2 Example scenario

The following is a description of an example scenario for the system. This scenario was one task used as part of user trials for validation of the developed system:

It is late 2004, and the Tsunami in the Indian Ocean hit the coast of several countries in this region. You are working on a story for a news broadcast on this topic and there is an item coming in from a German source on a video feed. You want to assess whether this item is relevant and part of that material could be included in your story. Automatic information extraction tools can help you in this assessment, to understand what the item is about (even if you do not understand German) and to get an overview of the content. You do not have the




Figure 6.
CATM process
model – simplified
representation




Figure 7.
User interface of the
AVDP viewer

necessary information extraction tools at your local site but only a computer with a web browser. You upload the item from the feed to a distributed repository. You can trigger automatic analysis for this item and monitor the completion of this process. Then you can view the different analysis results to assess the relevance of the item. You can modify/add some of the annotations for later use, e.g. to use part of the item in a longer news magazine. To use the item later, you can use a search tool to find it again based on the annotations.

The user accesses a web-based UI to add the clip from the feed to a distributed content repository. Then the control and configuration web UI is used to invoke automatic content analysis. This creates a job instance of the CATM, using a configuration selected by the user. In this scenario, the user probably will select a configuration that is optimised for speed. Genre classification identifies the clip as a news item, and language identification determines that the speech is in German. The news analysis branch is executed, activating (amongst others) the automatic speech recognition modules and the machine translation tools with the appropriate configurations. In addition, visual content analysis (e.g. face detection, near duplicate detection) is executed.

At the output of the automatic content analysis, a metadata document conforming to the MPEG-7 Audiovisual Description Profile (AVDP, [ISO/IEC 15938-9:2005/Amd 1:2012](#)) is created. The results of the analysis process can be reviewed by the web-based AVDP viewer, shown in [Figure 7](#).

6. Conclusion

We have proposed a novel approach to defining business processes and orchestrating services for supporting media production processes with automatic metadata extraction. Starting from a high-level view of the business goals supported, we derive scenarios and descriptions of tasks. We have introduced a model-based approach (known from user interface design) to media processing, and have proposed a reification process that turns a formal task model (represented in CTT) to a business process (represented in BPMN 2.0) and with the help of a workflow configuration into an executable job. A framework called MPMF has been implemented for the flexible and adaptive orchestration and execution of automatic metadata extraction.

By means of this approach, the implementation of the business process defines the workflow, whereas the services that are actually used are defined by the configuration. Thus, the processes are stable and, at the same time, the services can be managed very flexibly. If necessary, service implementations can also be completely replaced by others without changing the business process implementation.

References

- ANSI CEA 2018 (2008), *Task Model Description (CE task 1.0)*.
- BPMN (2011), "Business process model and notation, Version, 2.0", available at: www.omg.org/spec/BPMN/2.0/ (accessed 25 January 2015).
- Calvary, G., Coutaz, J., Bouillon, L., Florins, M., Limbourg, Q., Marucci, L., Paternò, F., Santoro, C., Souchon, N., Thevenin, D. and Vanderdonckt, J. (2002), *The CAMELEON Reference Framework*, CAMELEON Deliverable D1.1.
- ConcurTaskTrees Environment (2015), available at: <http://giove.cnuce.cnr.it/ctte.html> (accessed 25 January 2015).

- Di Nitto, E. and Plebani, P. (2010), "Describing case studies: the S-cube approach", Technical Report, Dipartimento di Elettronica ed Informazione Politecnico di Milano, available at: www.s-cube-network.eu/pdfs/EC-document-20100713.pdf (accessed 25 January 2015).
- FIMS (2015), "Framework for interoperable media services", available at: www.fims.tv (accessed 25 January 2015).
- Green, M. (1985), "The University of Alberta user interface management system", *12th Annual Conference on Computer Graphics and Interactive Techniques, San Francisco, California*, pp. 205-213.
- Guerrero Garcia, J., Gonzalez Calleros, J.M. and Vanderdonckt, J. (2012), "A comparative analysis of task modeling notations", *Mexican International Conference on Computer Science*, Vol. 22.
- ISO/IEC 15938-9:2005/Amd 1:2012, "Information technology – multimedia content description interface – Part 9: profiles and levels AMENDMENT 1: extensions to profiles and levels".
- Jackson, M. (1995), *Software Requirements & Specifications: A Lexicon of Practice, Principles and Prejudices*, ACM Press/Addison-Wesley Publishing, New York, NY.
- Kaindl, H. (2011), "Scenario-based requirements engineering facilitating interaction design", *Human-Computer Interaction – INTERACT*, Springer Berlin Heidelberg, pp. 708-709.
- Koehler, J., Hauser, R., Küster, J., Ryndina, K., Vanhatalo, J. and Wahler, M. (2006), "The role of visual modeling and model transformations in business-driven development", *Fifth International Workshop on Graph Transformation and Visual Modeling Techniques (GT-VMT), Vienna, AT*.
- Kolb, J., Reichert, M.U. and Weber, B. (2012), "Using concurrent task trees for stakeholder-centered modeling and visualization of business processes", *S-BPM ONE, Vienna*, pp. 137-151.
- Liu, S. (2008), "Integrating top-down and scenario-based methods for constructing software specifications", *Third IEEE International Workshop on Automation of Software Test (AST)*.
- Meixner, G., Paternò, F. and Vanderdonckt, J. (2011), "Past, present, and future of model-based user interface development", *i-com*, Vol. 10 No. 3, pp. 2-11.
- Meixner, G., Seissler, M. and Nahler, M. (2009), "Udit – a graphical editor for task models", *4th International Workshop on Model-Driven Development of Advanced User Interfaces (MDDAUD), Sanibel Island, FL*.
- Mori, G., Paternò, F. and Santoro, C. (2002), "CTTE: support for developing and analyzing task models for interactive system design", *IEEE Transactions on Software Engineering*, Vol. 28 No. 8, pp. 797-813.
- Paternò, F. and Mancini, C. (1999), "Developing task models from informal scenarios", *CHI '99 Extended Abstracts on Human Factors in Computing Systems*, New York, NY, pp. 228-229.
- Paternò, F., Mancini, C. and Meniconi, S. (1997), "ConcurTaskTrees: A diagrammatic notation for specifying task models", *IFIP TC13 International Conference on Human-Computer Interaction*, London, pp. 362-369.
- Pintus, A., Paternò, F. and Santoro, C. (2010), "Modelling user interactions in web service-based business processes", *International Conference on Web Information Systems and Technologies, Valencia, ES*, pp. 175-180.
- Reuther, A. (2003), "UseML: systematische Entwicklung von Maschinenbediensystemen mit XML", PhD thesis, Universität Kaiserslautern, Kaiserslautern.
- Rosson, M.-B. and Carroll, J.M. (2009), "Scenario-based design", in Jacko, J.A. (Ed.), *Human-Computer Interaction: Development Process*, CRC Press, Boca Raton, FL.

Sousa, K.S., Mendonça, H. and Vanderdonckt, J. (2008), "A model-driven approach to align business processes with user interfaces", *Journal Universal Computer Science*, Vol. 14 No. 19, pp. 3236-3249.

W3C MBUI (2011), "Model-based user interfaces working group", available at: www.w3.org/2011/mbui (accessed 25 January 2015).

Zuehlke, D. and Thiels, N. (2008), "Ueware engineering: a methodology for the development of user-friendly interfaces", *Library Hi Tech*, Vol. 26 No. 1, pp. 126-140.

About the authors

Matthias Elser graduated from University of Applied Sciences Wiesbaden (FH Wiesbaden) in 2006 with a Dipl.-Ing., and a degree in Broadcast Technique and Electronic Media. In 2007, he joined IRT as a research and development engineer and is now active in definition and development of service oriented architectures, metadata models and web services in the field of IT-based and distributed production systems.

Ronald Mies received his Masters' degree in Electrotechnical Engineering from the Technical University of Eindhoven. In August 1992, he joined the Multimedia Technology group of KPN Research, later TNO Telecom (Delft, The Netherlands), where he specialised in various aspects of audiovisual communication and (interactive) multimedia services, working as co-ordinator of the group and as senior project leader for various multimedia projects. For KPN, he has led the participation in many European Union (EU) projects (e.g. ACTS Custom TV, IST NexTV, IST SAMBITS and IST SAVANT) as KPN-project leader and work package leader. Early 2004, he joined IRT, where he manages the IRT participation in several research projects on German and European level. Recently, he coordinated the system integration activities in TOSCA-MP.

Peter Altendorf graduated in Image Engineering and Media Technology at Cologne University of Applied Sciences, Cologne. After completing his degree with a diploma thesis on D-Cinema content distribution at ARRI Munich, he joined IRT in 2007 as a Research Engineer to coordinate IRT's activities in the EU projects, VITALAS and NoTube. He works on various aspects of IT-based TV production and distribution, particularly cross-media production, SOA, multimedia mining and retrieval and quality control.

Alberto Messina (born 1971 in Torino, MSc. Electronic Engineering, PhD) began his collaboration as a Research Engineer with RAI in 1996, when he completed his MS Thesis about objective quality evaluation of MPEG2 video. After starting his career as a designer of RAI's Multimedia Catalogue, he has been involved in several internal and international research projects in digital archiving, automated documentation, and automated production. His current interests are from file formats and metadata standards to content analysis and information extraction algorithms. R&D coordinator since 2005, his current competence area is Automated Information Extraction & Management/Information and Knowledge Engineering, where he is the author of more than 80 technical and scientific publications. He has extensive collaborations with national and international research institutions, in common research projects and students' tutorship. He has a PhD in the area of Computer Science. He is an active member of several European Broadcasting Union (EBU) Technical projects, former Chairman of EC-M/SCAIE project on automatic metadata extraction and of the Expert Community on Metadata, and now he leads the Strategic Programme on Media Information Management. He worked in the EC PrestoSpace and PrestoPrime projects and currently in TOSCA-MP, IBC 2013 Award - winning VISION Cloud and BRIDGET. He has served in the Programme Committee of several international conferences including AI*IA 2007, Web Intelligence 2009-2014, SDM Workshop on Multimedia Data Mining 2009, SAC 2009 e 2010 (IAR track), Machine Learning and Applications 2009-2013, Semantic and Media Technologies 2009, MMM 2012. He has been a General Co-chair of the International Workshop on Automated Information Extraction in Media Production workshop, held in conjunction with ACM Multimedia in 2010 and 2011. He has been a Guest Co-editor of two issues of Springer's Multimedia Tools and Applications. He is an ACM Professional member since 2005

and nominated Contract Professor at Politecnico di Torino from 2012, where he teaches a course on Multimedia Archival Techniques. He actively participates in International Standardisation bodies, mainly in EBU and MPEG, where he contributed to MPEG-7 Audiovisual Description Profile and MPEG 21 Contract Expression Language, and now he is contributing to MPEG User Description and MPEG Compact Descriptors for Visual Analysis.

Fulvio Negro received a Laurea degree in Telecommunication Engineering from the Politecnico di Torino in 2005. In 2006, he joined the RAI Research Centre in Turin, working on content management and delivery projects. He is active in the Study and Research area being involved in internal interactive television projects, analysing and developing automation, management and multi-platform delivery aspects. He has worked in several EC 7th Framework Programme projects, in particular the NoTube project dealing with the integration of Web and TV and the TOSCA-MP project in the media production area. He is now involved in the BRIDGET project working on enhancing broadcast programmes through new paradigms for content creation and consumption.

Werner Bailer received a degree in Media Technology and Design in 2002 for his diploma thesis on motion estimation and segmentation for film/video standards conversion. He is working on a PhD thesis on multimedia content abstraction. Currently, he is a Key Researcher at the Audiovisual Media Group of DIGITAL – Institute for Information and Communication Technologies at JOANNEUM RESEARCH in Graz, Austria. His research interests include audiovisual content analysis and retrieval, preservation of audiovisual media and multimedia metadata. He has many years of experience in European and national research projects. He is the author of 50+ peer reviewed publications and has made contributions to standardisation in MPEG and the W3C. Werner Bailer is the corresponding author and can be contacted at: werner.bailer@joanneum.at

Albert Hofmann was born in 1981. He studied Software Engineering at the Hagenberg University of Applied Sciences and received his degree in 2004 for his master thesis in implementing a multimedia management component for an archival documentation solution. He is working as a Senior Researcher at the Digital Institute of Joanneum Research since 2003. His main research topics are video analysis and information retrieval for a broad range of applications, including media monitoring, video quality analysis and security applications. Since 2009, he is studying business economics at the University of Graz, and since 2014, he is participating in the MBA program at the California Lutheran University.

Georg Thallinger holds a Dipl.-Ing. in Telematics from the University of Technology in Graz. Since 1992, he works with Joanneum Research, Digital - Institute of Information and Communication Technologies. As the head of the Audiovisual Media Group, he is responsible for the implementation of innovative solutions in the areas of film – restoration, content based analysis and retrieval of audiovisual media, and media monitoring and security. He has successfully managed numerous national and international projects in the field (e.g. DIAMANT, DETECT and restoration work area of PrestoSpace) and is responsible for the coordination of big international projects (e.g. FascinatE, SALERO, TOSCA-MP, ICoSOLE). He is particularly interested to apply research results from the fields stated above to new application domains and to use it for technology transfer to innovative SMEs. Following these ambitions, projects for automatic generation of statistics in ball games and automatic writer change detection for medieval manuscripts have been successfully implemented.

For instructions on how to order reprints of this article, please visit our website:

www.emeraldgrouppublishing.com/licensing/reprints.htm

Or contact us for further details: permissions@emeraldinsight.com